

December 2009

ISE, 2-4 February 2010, Amsterdam RAI, NL

New look interface for bathomatic

Unique Automation is launching new user interfaces for its successful bath management system*. Consisting of wall mounted, screwless, all glass fascias the interfaces are available in two sizes, for bathomatic, steamomatic and the lighting control in one gang format and the iShower and bathomatic whirlpool in two gang shaver socket type back box. The interfaces are ready for multi lingual support and have improved performance in wet conditions. Due to demand from OEM customers the platform is open and these could be made in sufficient volumes to customers' specifications and control third party systems on RS485 or other bus systems.

Available in black or white glass as standard, the interface can also be made in customisable colours and patterns on request. Other interfaces for bathomatic include automation systems, PCs via WAN and PDAs.

For further information visit www.bathomatic.com or telephone 020 7740 3910

ENDS

* Unique Automation's unique **bathomatic**[™] bath management system is a technological breakthrough in this field. A modular kit which can be fitted to any bath, **bathomatic**[™] automatically controls the pre-programmed filling, water temperature, water depth and emptying of the bath water. It will also maintain temperature and automatically add bubble bath or fragrance, as required, on site or remotely. The system has now been developed to suit a range of applications both domestic and commercial, including hotels and care homes.

Press enquiries:

Public Relations - Sarah Gale

Tel 01371 875203 sarah.gale@uniqueautomation.co.uk

Product Information -

Tel 020 7740 3910 info@uniqueautomation.co.uk



uniQ^{ue} automation

39°C  ECO



ECO




uniQ^{ue} automation

STEAMOMATIC
DESIRED REAL
39°C 38' 54" 18°C 



uniQue automation

READY WHEN YOU ARE
39°C 70%



uniQue automation

LIVING ROOM
SCENE ONE

